

CELEBRATING

8 COMFORTABLE FUNCTIONS

- STABLE OPERATION FUNCTION** Curtain motor has accurate positioning, motor is stable and smooth.
- ELECTRONIC LIMIT FUNCTION** Electronic limit function, automatic memory stroke, set without people, make the installation debugging time shorter. At the same time we constantly optimize memory stroke, to guarantee the stroke positioning to be accurate.
- INBUILT REMOTE CONTROL FUNCTION** Curtain motor has inbuilt receiver, can be control by any of NOVO transmitter, Visible distance is 200 meters, indoor is 30 meters, Can not only single control, also can group control.
- LONG OPERATION TIME** The complete set with excellent raw material, track with high quality electrophoretic coating, belt insert stainless wire and wrapped cloth both sides.
- GENTLY PULLING TO START THE MOTOR FUNCTION** Start by itself after pulling 20 cm, make the curtain to run automatically without the use of transmitter.
- MANUAL PULLING FUNCTION WHEN THERE IS NO POWER** When there is no power, can be open and close the curtain by hand.
- MUTE DESIGN FUNCTION** Apply the insulation noise reduction technology, improve the improve the mute effect effectively.
- COMPATIBILITY FUNCTION** Realize a variety of control system compatible, to achieve single control, group control, central control. Various switch control.

DIFFERENT CHARACTERISTICS 3

- Motor can Upward installed or downward installed, also can be hidden in the smallpox ceiling based on different requirement **motor on hidden inhead type mounting design**
- Strong anti-interference ability, high receiver sensitivity, stable center frequency, convenient setting features. **FSK FM technology, top 868MHZ for anti-jamming military**
- The unique metal shaft design, long time working life, does not slip. **all-metal type shaft**



Roller Blind




Cable




Radio




Center Control



Single motor downward installation



Single motor upward installation



Roller carrier Industry pioneering Patented technology

Ten 20

Years in India Market
Million Curtain Motors

NOVO®

Guangzhou NOVO Sun shading Technique Co., Ltd



Tel:4000-000-560
http://www.gznovo.com
E-mail:001@gznovo.com



In 2008 the first motor in China

In 2008 China's first manual & automated motor all-in-one was born Technology revolution from the end of 2008, At that time the industry adopt electronic clutch and the external transformer. NOVO is the first to develop the mechanical clutch (patent ZL201120010345.7) to integrated with the built-in receivers and transformers. Now the industry including import brands also refer to this technology. from 2009 Technology innovation as hand pull then curtain start to move, automatic memory, comprehensive support for smart home interface, such as 232, 485, 9 kinds of dry touch switch mode.



ABOUT US

NOVO was founded in 2007, a high-tech enterprise group, who does research and development, manufacture, market and service independently, including two companies: Hong Kong NOVO Sunshade Technologies Co., Ltd. and Guangzhou NOVO Sunshade Technology Co. Ltd. NOVO is the pride of China's brands, always as the innovation leader from 2007. Now it is a leading brand of China's electric sun-shade, pursuing highest quality and being most innovative. Since the day of establishment, adhering to the "innovation first, quality first, price first" purpose, at the time that industry has become a trend of mimicry, NOVO insists on independent research and innovative business ideas, and has made brilliant R & D results, access to a range of national patents, with independent intellectual property rights. As the world's leading electric sunshade suppliers, NOVO provides competitive solutions and service for curtains, hollow glasses, office high compartment, smart home, roller shutter doors and windows, outdoor awnings and other 10 major industry enterprises and consumers, and helps customers succeed in their business.

NOVO provides enterprises and clients with at least 100 years excellent services



APPLICABLE PLACE

High-grade Luxury Business Hotel, Conference Center

Contracted And Fashionable Residential Area


Elite Gathered Office Building, Office Buildings

Sweet And Romantic Elegant Apartment


Pleasant Scenery Of The Resort

Noble And Elegant European Villas




FUNCTION DESCRIPTION



A and B is the hole of wire, you can choose up and down installation as your requirement.






continues moving connection method



touch switch connection method

step moving connection method



touch switch connection method

Product Features

- Motor has specific memory function, automatic stop sensor for the travel (no need to set Travel in advance)
- With hand-operated & motor operated mode, both are easy to operate.
- One-stop design, built in receiver and with external interface (2xRJ11 interface)
- Motor can start by itself by pulling just 20cm of the fabric (no need the transmitter)
- The complete set of system with the best material, with high quality coating inside out of the track, belt with steel wire, and cloth on both side, all the hardware accessories are made of stainless steel.
- Group control, central control.
- "S style rope runner combination" patent design, easy to assemble and disassemble, pretty appearance, can be designed to a dynamic "S" style movable curtain.
- Strong power, low noise design, different bending track can be customized.

CONTROL SYSTEM

A6 channel transmitter

C individuality Pubcity

L Free lock channel

C LED display

B Maximun 99 channel

S Efficient 868 MHZ frequency of high sensitivity

S Close feeling Process



A4 -1 stick-on Transmitter



A4 -2 stick-on Transmitter

A3 touch screen Transmitter

Function Features:

- 868MHz radio frequency (innovate in this industry).** It has the features of good antijamming capability, high receiving sensitivity, good frequency stabilization and easy debugging.
- All imported components** Smooth surface, high hardness, aging resistance, strong adaptability to the natural environment, Safe to use indoor and outdoor
- Touch screen button** It has up,down,stop,continuous move, inching move function

A3 button key transmitters

Function Features:


- 868MHz radio frequency (innovate in this industry).** It has the features of good antijamming capability, high receiving sensitivity, good frequency stabilization and easy debugging.
- All imported components** Smooth surface, high hardness, aging resistance, strong adaptability to the natural environment, Safe to use indoor and outdoor
- Touch screen button** It has up,down,stop,continuous move, inching move function



A3 touch screen free stick-on transmitter

- F** The flat-panel, smooth surface, high hardness channel configuration: single channel two channel five channel
- T** Touch screen, the fashion trend
- J** Jogging move and continuous move control individually
- S** 868MHz radio frequency has high sensitivity
- C** Powerful magnet in back, stick to the wall conveniently

3 USER FRIENDLY DESIGN



ADVANTAGE FUNCTION 6

- use low-noise double-toothed gearbox (patent 2014108569881)
- The output shaft and motor head use unique plum-shaped design, DuPont nylon, never slip;
- Mute operation, lower 45 decibels
- Precise stroke limit system, Precision can reach $\pm 2^\circ$
- FSK FM technology, top 868MHZ for anti-jamming military, built-in antenna design.
- Stable brake system



Roller Blind Cable Radio Center Control




K45 roller blind motor

CONTROL SYSTEM

Receiver



D30939
A4 Single -channel 220 receivers



SD30920
A3 Single - channel 100-240 receivers

Transmitter

A6 channel transmitter

- C individuality Publicity
- L Free lock channel
- C LED display
- B Maximun 99 channel
- S Efficient 868 MHZ frequency of high sensitivity
- S Close feeling Process



A3 button type transmitter

- Function Features:
- 868MHZ radio frequency (innovate in this industry), It has the features of good antijamming capability, high receiving sensitivity, good frequency stabilization and easy debugging.
 - All imported components Smooth surface, high hardness, aging resistance, strong adaptability to the natural environment, Safe to use indoor and outdoor
 - Touch screen button It has up, down, stop, continuous move, inching move function



A5 receiver



Function Features:


A5 Light Receiver System is the Ac motor control system, it combine with wireless (RF) & single-chip microcomputer (MCU) control technology. This set of control system consists of two parts, the wireless receiver and wireless transmitter. With 868MHz Radio frequency, control distance can reach up 100meters (visible), Can get through 2 reinforced concrete wall at least 30m.

Size : 125x26.5x24.5mm
Working temperature : -20°C+60°C

Tel:4000-000-560
http://www.gznovo.com
E-mail:001@gznovo.com



NOVO[®]
Guangzhou NOVO Sun shading Technique Co., Ltd



NOVO[®] Roller Blind Motors



K45 roller blind motor



K25 roller blind motor



K35 roller blind motor

100% imported materials
the capsule silencing technology


Italian design, German standards, Hidden antenna, military grade 868Frequency, Low noise double-toothed gearbox.



ABOUT US

NOVO was founded in 2007, a high-tech enterprise group, who does research and development, manufacture, market and service independently, including two companies: Hong Kong NOVO Sunshade Technologies Co., Ltd. and Guangzhou NOVO Sunshade Technology Co. Ltd. NOVO is the pride of China's brands, always as the innovation leader from 2007. Now it is a leading brand of China's electric sun-shade, pursuing highest quality and being most innovative. Since the day of establishment, adhering to the "innovation first, quality first, price first" purpose, at the time that industry has become a trend of mimicry, NOVO insists on independent research and innovative business ideas, and has made brilliant R & D results, access to a range of national patents, with independent intellectual property rights. As the world's leading electric sunshade suppliers, NOVO provides competitive solutions and service for curtains, hollow glasses, office high compartment, smart home, roller shutter doors and windows, outdoor awnings and other 10 major industry enterprises and consumers, and helps customers succeed in their business.

NOVO provides enterprises and clients with at least 100 years excellent services



APPLICABLE PLACE



High-grade Luxury Business Hotel, Conference Center
Elite Gathered Office Building, Office Buildings
Pleasant Scenery Of The Resort

Contracted And Fashionable Residential Area
Sweet And Romantic Elegant Apartment
Noble And Elegant European Villas



K35 roller blind motor

2 USER FRIENDLY DESIGN



Motorized Roller Blind structural drawing

6 FUNCTIONAL FEATURES

- Radio control system insert to motor.
- 868MHz radio frequency.
- Change direction function.
- Continuous move, jogging move function.
- User can setting up electronic limit point.
- Motor speed can be adjusted by hand.

K25 tubular motor insert power, limit control very precise It can be used 1-3 each month if full of electric, can be equipped with solar panels or battery bar



K25 roller blind motor



Roller Blind Cable Radio Center Control